



CA-RESINE-HARDENER Safety Data Sheet

according to Regulation (EC) No.

1907/2006 (REACH) as amended Regulation (EC) No. 453/2010 SDS Ref.: 1059S-PRO

Issue Date: 25/09/2014 Date of revision: 03/02/2022 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Blend
Product Name : CA-RESINE-HARDENER
UFI : YF40-20HG-700R-KHWC
Type of product : Hardener (crosslinker)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for the general public Main use category : Industrial use
Spec. for industrial/professional use : Intended for the general public Industrial
Use of the substance/mixture : Hardener for lamination, casting, injection, winding, infusion, bonding, foaming, sealants and coatings.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

TRINYTEC
1 Rue Pierre et Marie Curie
26230 VALAURIE
+33 (0) 4 26 34 15 93
www.trinitytec.com

1.4. Emergency number

Emergency number : ORFILA (FRANCE): +33 (0)1 45 42 59 59 (24/7)

Country	Organization/Company	Address	Emergency number	Comment
France	ORFILA		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Acute toxicity (oral), category 4 H302
Corrosive/Irritating to skin, category 1B H314
Skin sensitization, category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

	GHS05	GHS07
Signal word (CLP)	: Hazard	
Hazardous components	: Polyoxypropylenetriamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine; m-phenylenebis(methylamine); Salicylic acid; Phenol containing styrene groups; 3-dimethylaminopropylamine: H302 - Harmful if swallowed.	
Hazard statements (CLP)	H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic organisms with long lasting effects.	
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. DO NOT induce vomiting. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if the victim wears them and if they can be easily removed. Continue rinsing. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Blends

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
m-phenylenebis(methylamine)	(CAS No.) 1477-55-0 (EC no.) 216-032-5 (REACH No.) 01-2119480150-50	40 – 80	AcuteTox. 4 (Oral), H302 Acute Tox. 4 (Inhalation: dust, mist), H332 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Salicylic acid	(CAS No.) 69-72-7 (EC no.) 200-712-3 (REACH No.) 01-2119486984-17	1 – 40	AcuteTox. 4 (Oral), H302 Eye Dam. 1, H318
Polyoxypropylenediamine	(CAS No.) 9046-10-0 (EC no.) 618-561-0 (REACH No.) 01-2119557899-12	1 – 20	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol containing styrene groups	(CAS No.) 61788-44-1 (EC no.) 262-975-0 (REACH No.) 01-2119557886-19	1 – 20	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
3-dimethylaminopropylamine	(CAS No.) 109-55-7 (EC no.) 203-680-9 (Index No.) 612-061-00-6	1 – 20	Flame. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317

CA-RESINE-HARDENER

Safety Data Sheet in accordance with

Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

Polyoxypropylenetriamine	(CAS No.) 39423-51-3 (EC No.) 500-105-6 (REACH No.) 01- 2119556886-20	1 – 10	AcuteTox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Aquatic Chronic 2, H411
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS No.) 2855-13-2 (EC no.) 220-666-8 (Index No.) 612-067-00-9 (REACH No.) 01-2119514687-32	1 – 10	AcuteTox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: First aid

4.1. Description of first aid

General first aid	: In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
First aid after inhalation	: Take the person outside and keep them in a position where they can comfortably breathe. Allow subject to breathe fresh air. Respiratory arrest: artificial respiration or oxygen. In the event of loss of consciousness, put the victim in the lateral safety position, lateral decubitus and consult a doctor.
First aid after skin contact	: Wash contaminated clothing before reuse. Remove contaminated clothes, wash the skin with plenty of water or shower (for 15 minutes), and if necessary go to the doctor. In case of skin irritation or rash: consult a doctor.
First aid after eye contact	: Rinse immediately with plenty of water. Remove contact lenses if victim door and whether they can be easily removed. Continue rinsing. Continue rinsing eye with cool water for 20-30 minutes, retracting eyelids frequently. Consult an ophthalmologist if necessary.
First aid after ingestion	: Rinse out mouth. Do not induce vomiting, due to corrosive effects. Call immediately a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Cough. May irritate the respiratory tract. Serious hazard by inhalation.
Symptoms/Effects After Skin Contact	: May cause moderate irritation, with burning sensation, tightness, redness or swelling.
Symptoms/Effects After Eye Contact	: May cause moderate irritation, with burning sensation, tearing, redness or swelling. Risk of eye damage.
Symptoms/effects after ingestion	: May cause burns or irritation to tissues of the mouth, throat and throat. gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

For the Poisons Center indicate all the components including the non-hazardous so as to obtain (if possible) a total of 100%.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Mousse. Dry powder. Carbon dioxide.
Unsuitable extinguishing agents	: Do not use a strong stream of water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Do not breathe fumes from fires or vapors of decomposition.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Tips for firefighters

Precautionary measures against fire	: Evacuate personnel to a safe location. Do not enter fire area without protective equipment, including respiratory protection.
-------------------------------------	---

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

Fire fighting instructions	: Use caution when fighting any chemical fire. Prohibit access to incompetent persons. Eliminate all sources of ignition if safe to do so. Prevent fire-fighting wastewater from contaminating the environment.
Protection in case of fire	: Do not enter fire area without protective equipment, including respiratory protection. Wear self-contained breathing apparatus. Special protective equipment for firefighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: No open flames. NO SMOKING. Spills will be handled by trained cleanup personnel equipped with adequate respiratory and eye protection.
------------------	--

6.1.1. For non-rescuers

No additional information available

6.1.2. For rescuers

No additional information available

6.2. Environmental Precautions

Avoid release into the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Cleaning processes	: Clean up any spillage as soon as possible, collecting it with an absorbent product. Prevent entry into sewers or waterways.
--------------------	---

6.4. Reference to other topics

See section 8 regarding personal protection to be used. See section 13 regarding disposal of wastes resulting from cleaning.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work area to prevent the formation of vapours. Avoid unnecessary exposure. Do not handle until all safety precautions have been read and understood. Keep containers closed.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothes should not leave the workplace. Do not eat, drink or smoke while handling this product. Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking, and before leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in the original packaging. Store in a cool, well-ventilated place if possible. and free from incompatible products.
Incompatible products	: Strong acids. Oxidizing agent. Halogenated hydrocarbons.
Incompatible materials	: Sources of heat.

7.3. Specific end use(s)

No additional information available

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

m-phenylenebis(methylamine) (1477-55-0)

France - Occupational exposure limit values

ELV(mg/m³)	0.1mg/m³
------------	----------

8.2. Exposure controls

Personal protective equipment:

Independent self-contained breathing apparatus. Gloves. Gas mask. Protective clothing. Protective glasses. Conc. high gas/vapours: gas mask, filter type K.

Hand protection:

Nitrile rubber protective gloves. Chemical resistant gloves (according to standard NF EN 374 or equivalent)

Eye protection:

Splash goggles or face shield

Skin and body protection:

Wear appropriate protective clothing

Respiratory protection:

[When room ventilation is insufficient] wear respiratory protection. Conc. gas/vapours: gas mask, filter type K

Personal protective equipment symbol(s):



Controls of consumer exposure: Avoid contact with substance during pregnancy/while breastfeeding.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid:
Color	brown.
Smell	: Amino.
Odor threshold	: No data available : No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	
Fusion point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available : 1.02
Relative density	
Solubility	: No data available
n-octanol/water partition coefficient (Log Pow)	: No data available
Kinematic viscosity	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under the use and storage conditions recommended in section 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to Avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Strong acids. Oxidizing agent. metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Unclassified
Acute Toxicity (Inhalation)	: Unclassified

1059S

ETA CLP (oral route)	500 mg/kg body weight
----------------------	-----------------------

Polyoxypropylenediamine (9046-10-0)

LD50 oral rat	2885.3mg/kg
Dermal LD50 Rabbit	2979.7mg/kg
LC50 inhalation rat (Vapor - mg/l/4h)	0.74mg/l/4h

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

LD50 oral rat	1030mg/kg
---------------	-----------

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

Salicylic acid (69-72-7)

Oral LD50	891mg/kg
-----------	----------

m-phenylenebis(methylamine) (1477-55-0)

LD50 oral rat	930mg/kg
Dermal LD50 rat	> 3100mg/kg
LC50 inhalation rat (Mist/Dust - mg/l/4h)	1.34mg/l/4h

Phenol containing styrene groups (61788-44-1)

Dermal LD50 rat	> 2000mg/kg
LC50 inhalation rat (mg/l)	4.92mg/l

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/eye irritation	: Could cause serious eye damage : May cause an
Respiratory or skin sensitization	allergic skin reaction.
Germ cell mutagenicity	: Unclassified
Carcinogenicity	: Unclassified
Reproductive toxicity	: Unclassified
Specific target organ toxicity (single exposure)	: Unclassified
Specific target organ toxicity (repeated exposure)	: Unclassified
Aspiration hazard	: Unclassified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short term (acute)	: Unclassified
Hazards to the aquatic environment, long-term (chronic)	: Harmful to aquatic organisms, causes long lasting adverse effects.

Polyoxypropylenediamine (9046-10-0)

LC50 fish 1	772.1mg/l
EC50 Daphnia 1	418.34mg/l
EC50 72h algae 1	15mg/l
ErC50 (algae)	15mg/l

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

LC50 fish 1	110mg/l
EC50 Daphnia 1	23mg/l 24h
EC50 other aquatic organisms 1	37mg/l
EC50 72h algae 1	> 50mg/l

Salicylic acid (69-72-7)

LC50 fish 1	150mg/l
-------------	---------

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

EC50 Daphnia 1	230mg/l
----------------	---------

m-phenylenebis(methylamine) (1477-55-0)

LC50 fish 1	87.6mg/l
EC50 Daphnia 1	15.2mg/l
EC50 other aquatic organisms 1	20.3mg/l
EC50 72h algae 1	12mg/l

Phenol containing styrene groups (61788-44-1)

LC50 fish 1	14.8mg/l
EC50 Daphnia 1	1 – 10mg/l
EC50 72h algae 1	3.14mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Making up

Polyoxypropylenediamine (9046-10-0)	This substance/mixture does not meet the PBT criteria of the REACH regulation annexed XIII This substance/mixture does not meet the vPvB criteria of the REACH regulation annexed XIII
m-phenylenebis(methylamine) (1477-55-0)	This substance/mixture does not meet the PBT criteria of the REACH regulation annexed XIII This substance/mixture does not meet the vPvB criteria of the REACH regulation annexed XIII

12.6. Other Adverse Effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with the requirements of ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	DNA	RID
14.1. UN number				
UN 2735	UN 2735	UN 2735	UN 2735	UN 2735

CA-RESINE-HARDENER

Safety Data Sheet in accordance with

Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

14.2. UN Proper Shipping Name

LIQUID AMINES CORROSIVE, NOS	LIQUID AMINES CORROSIVE, NOS	Amines, liquid, corrosive, our	LIQUID AMINES CORROSIVE, NOS	LIQUID AMINES CORROSIVE, NOS
---------------------------------	---------------------------------	-----------------------------------	---------------------------------	---------------------------------

Transport document description

UN 2735 AMINES CORROSIVE LIQUIDS, NOS (2-piperazin-1- ylethylamine; m phenylenebis(methylamine) , 8, II, (E)	UN 2735 AMINES CORROSIVE LIQUIDS, NOS (2-piperazin-1- ylethylamine; m phenylenebis(methylamine) , 8, II	UN 2735 Amines, liquid, corrosive, nos (2- piperazin-1-ylethylamine; m phenylenebis(methylamine) , 8, II	UN 2735 AMINES CORROSIVE LIQUIDS, NOS (2-piperazin-1- ylethylamine; m phenylenebis(methylamine) , 8, II	UN 2735 AMINES CORROSIVE LIQUIDS, NOS (2-piperazin-1- ylethylamine; m phenylenebis(methylamine) , 8, II
---	--	---	--	--

14.3. Transport hazard class(es)

8	8	8	8	8
				

14.4. Packing group

II	II	II	II	II
----	----	----	----	----

14.5. Environmental hazards

Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
--------------------------------------	--	--------------------------------------	--------------------------------------	--------------------------------------

No additional information available

14.6. Special precautions for user

Ground transportation

Classification code (ADR)	: C7
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted Quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Instructions for portable tanks and bulk containers (ADR)	: T11
Special provisions for portable tanks and bulk containers (ADR)	: TP1, TP27
Tank code (ADR)	: L4BN
Vehicle for tank transport	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler code)	: 80
orange panels	:



Tunnel Restriction Code (ADR) : E

Maritime transport

Special Provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted Quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Instructions for tanks (IMDG)	: T11
Special provisions for tanks (IMDG)	: TP1, TP27
No. FS (Fire)	: FA

CA-RESINE-HARDENER

Safety Data Sheet in accordance with

Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

FS No. (Spill)	:SB
Loading category (IMDG)	: AT
Sorting (IMDG)	: SG35
Properties and Observations (IMDG)	: Colorless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

Air transport

Excepted quantities passenger and cargo aircraft (IATA)	: E2
Limited quantities passenger and cargo aircraft (IATA): Y840	
Max. for limited quantity aircraft: 0.5L passengers and cargo (IATA)	
Passenger and cargo aircraft packing instructions (IATA)	: 851
Net quantity max. for passenger and cargo aircraft (IATA)	: 1L
Packing Instructions Cargo Aircraft Only (IATA)	: 855

quantity max. net cargo aircraft only (IATA): 30L Special

Provisions (IATA)	: A3
ERG code (IATA)	: 8L

River transport

Classification code (ADN)	: C7
Special Provisions (ADN)	: 274
Limited Quantities (DNA)	: 1L
Excepted quantities (ADN)	: E2
Carriage admitted (ADN)	:T
Required equipment (ADN)	: PP, EP:
Number of blue cones/lights (DNA)	0

Rail transport

Classification code (RID)	: C7
Special Provisions (RID)	: 274
Limited Quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing Instructions (RID)	: P001, IBC02
Special provisions relating to mixed packing (RID)	: MP15

Instructions for Portable Tanks and Bulk Containers (RID)	: T11
Special provisions for portable tanks and bulk containers (RID)	: TP1, TP27
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Express Parcel (RID)	: CE6
Hazard Identification Number (RID)	80

14.7. Bulk transport in accordance with Annex II of the Marpol Convention and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and safety regulations/legislation specific for the substance or mixture environment

15.1.1. EU regulations

Does not contain any substances subject to restrictions according to annex XVII of REACH

Does not contain any substance on the REACH candidate list

Does not contain any substances listed in Annex XIV of REACH

Does not contain any substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals.

CA-RESINE-HARDENER

Safety Data Sheet in accordance with
Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

Does not contain any substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National guidelines

No additional information available

15.2. Chemical Safety Assessment

No additional information available

SECTION 16: Other information

Indication of change:

Revision - See: *.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on the classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.

Other information : The information given in this safety data sheet is based on the state of our current knowledge and our experience. It in no way exempts the user from knowing and applying all the texts regulating his activity. He will take under his sole responsibility the precautions related to the use of the product that he knows. It is the responsibility of the user to take the precautionary measures mentioned as well as to ensure that he has complete and sufficient information for the use of this product.

Full text of H- and EUH-statements:

AcuteTox. 4 (Dermal)	Acute Toxicity (Dermal), Category 4
AcuteTox. 4 (Inhale:dust,mist)	Acute toxicity (Inhalation: dust, mist) Category 4
AcuteTox. 4 (Oral)	Acute toxicity (oral), category 4
Aquatic Chronic 2	Hazardous to the Aquatic Environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, category 1
Flame. Liq. 3	Flammable Liquids, Category 3
Skin Corr. 1B	Corrosive/irritating to skin, category 1B
Skin Corr. 1 C	Corrosive/irritating to skin, category 1C
Skin Irrit. 2	Corrosive/irritating to skin, category 2
Skin Sens. 1	Skin sensitization, category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	Can cause cutaneous allergy.
H318	Causes serious eye damage.
H332	Harmful by inhalation.
H411	Toxic to aquatic organisms, causes long-term adverse effects.
H412	Harmful to aquatic organisms, causes long-term adverse effects.

EU MSDS (Annex II REACH)

CA-RESINE-HARDENER

Safety Data Sheet in accordance with

Regulation (EC) No. 1907/2006 (REACH) as amended Regulation (EC) No. 453/2010

This information is based on our current knowledge and describes the product for the purposes of health, safety and the environment only.
They should therefore not be interpreted as guaranteeing any specific property of the product.